


# CF<sub>3</sub>ピリジン化合物 PRODUCTS LIST



CF<sub>3</sub>ピリジン化合物は活性と機能を高めることが期待できます

皆様の新薬創製のお手伝いをいたします



















**ISK** 石原産業株式会社

URL <https://www.iskweb.co.jp/products/organic.html>


# α-CF<sub>3</sub>ピリジン

ピリジン環上 2 位（アルファ位）に CF<sub>3</sub> 基が直接結合した化合物

略称 【製品コード】	化学構造	化学名	量
		物 性	
3,2,6-ACTF 【ISK-a-1】		3-Amino-2-chloro-6-(trifluoromethyl)pyridine	▶ 5g ▶ 25g ▶ kg~
		mp 96-97°C	
2,3,6-DCTF 【ISK-a-2】		2,3-Dichloro-6-(trifluoromethyl)pyridine	▶ 1g ▶ 5g ▶ 25g
		mp 40°C	
2,6-ATF 【ISK-a-3】		2-Amino-6-(trifluoromethyl)pyridine	▶ 1g
		mp 79-81°C	
3,6-HmTF 【ISK-a-4】		6-(Trifluoromethyl)pyridine-3-methanol	▶ 1g ▶ 5g ▶ kg~
		Liquid	
6-TF-3-CHO 【ISK-a-5】		6-(Trifluoromethyl)pyridine-3-carboxaldehyde	▶ 5g ▶ 25g ▶ kg~
		mp 52-56°C	
6-TFNA 【ISK-a-6】		6-(Trifluoromethyl)nicotinic acid	▶ 5g ▶ 25g ▶ kg~
		mp 195°C	
2,6-HTF-3-CAM 【ISK-a-7】		2-Hydroxy-6-(trifluoromethyl)pyridine-3-carboxamide	▶ 5g ▶ 25g ▶ kg~
		mp 230-231°C	
2,6-CTF-3-CAM 【ISK-a-8】		2-Chloro-6-(trifluoromethyl)pyridine-3-carboxamide	▶ 5g ▶ 25g
		mp 215-217°C	
2,6-CTF 【ISK-a-9】		2-Chloro-6-(trifluoromethyl)pyridine	▶ 5g ▶ 25g
		mp 33°C	
2,3,4,5,6-TCTF 【ISK-a-10】		2,3,4,5-Tetrachloro-6-(trifluoromethyl)pyridine	▶ 5g
		mp 27-28°C	
6-TF-2-CO <sub>2</sub> Et 【ISK-a-11】		Ethyl 6-(trifluoromethyl)picolinate	▶ 5g ▶ 25g
		mp 54-56°C	
2,6-CTFNA 【ISK-a-12】		2-Chloro-6-(trifluoromethyl)nicotinic acid	▶ 1g ▶ 5g ▶ 25g
		mp 110-117°C	
2,6-HmTF 【ISK-a-13】		6-(Trifluoromethyl)pyridine-2-methanol	▶ 1g ▶ 5g
		mp 30-32°C	
2,3,6-CHmTF 【ISK-a-14】		2-Chloro-6-(trifluoromethyl)pyridine-3-methanol	▶ 250mg ▶ 1g ▶ 5g
		Liquid	

5,2,-ATF 【ISK-a-15】		5-Amino-2-(trifluoromethyl)pyridine mp 39-40°C	▶ 1g ▶ 5g
2,6-CTF-3-CN 【ISK-a-16】		2-Chloro-6-(trifluoromethyl)nicotinonitrile mp 35-36°C	▶ 5g ▶ 25g

CF<sub>3</sub>基とピリジン環、それぞれの有する特徴が融合した **CF<sub>3</sub>(トリフルオロメチル)ピリジン化合物** は、様々な機能と活性を生み出すことが期待されます



当社は、1980年代前半から「CF<sub>3</sub>ピリジンに基づく医薬と農業の研究開発」に取り組んでおり、この技術分野で自信を持ってお客様のニーズにお応えすることができます。

カタログに掲載している化合物の提供だけでなく、お客様の提案される化合物につきましてもご相談を承ります。















石原産業株式会社へのお問合せ（【お問合せ】ご参照）  
E-Mail : organic\_med@iskweb.co.jp TEL : 06-6444-5811



# β-CF<sub>3</sub>ピリジン

※ 印の製品、および全てのバルク製品 (kg ~等) に  
つきましては当社まで直接ご注文・お問合せ下さい。














## ピリジン環上 3 位 (ベータ位) に CF<sub>3</sub> 基が直接結合した化合物

略称 【製品コード】	化学構造	化学名	量
		物 性	
2,6,3-DCTF 【ISK-b-1】		2,6-Dichloro-3-(trifluoromethyl)pyridine	▶ 5g ▶ 25g ▶ Kg~
		Liquid (mp 6°C)	
3-TFPA 【ISK-b-2】		3-(Trifluoromethyl)picolinic acid	▶ 1g
		mp 116-117°C	
2,5-ATF 【ISK-b-3】		2-Amino-5-(trifluoromethyl)pyridine	▶ 5g ▶ 25g
		mp 42°C	
2,3-ATF 【ISK-b-4】		2-Amino-3-(trifluoromethyl)pyridine	▶ 5g ▶ 25g
		mp 67-69°C	
2,5-CmTF 【ISK-b-5】		2-Chloromethyl-5-(trifluoromethyl)pyridine	▶ 1g ▶ 5g ▶ 25g ▶ Kg~
		Liquid	
2,3-MTF 【ISK-b-6】		2-Mercapto-3-(trifluoromethyl)pyridine	▶ 5g ▶ 25g
		mp 170-176°C	
3,5-CTF 【ISK-b-7】		3-Chloro-5-(trifluoromethyl)pyridine	▶ 5g ▶ 25g
		mp 23-24°C	
2,5,6,3-TCTF 【ISK-b-8】		2,5,6-Trichloro-3-(trifluoromethyl)pyridine	▶ 1g ▶ 5g ▶ 25g
		mp 48-55°C	
2,3-CTF 【ISK-b-9】		2-Chloro-3-(trifluoromethyl)pyridine	▶ 5g ▶ 25g ▶ Kg~
		mp 38°C	
2,3-HTF 【ISK-b-10】		2-Hydroxy-3-(trifluoromethyl)pyridine	▶ 5g ▶ 25g
		mp 152°C	
3-TF-2-CO <sub>2</sub> Et 【ISK-b-11】		Ethyl 3-(trifluoromethyl)picolinate	▶ 5g ▶ 25g
		Liquid	
2,5-HmTF 【ISK-b-12】		5-(Trifluoromethyl)pyridine-2-methanol	▶ 1g ▶ 5g ▶ 25g
		Liquid	
5-TF-2-CO <sub>2</sub> Et 【ISK-b-13】		Ethyl 5-(trifluoromethyl)picolinate	▶ 5g ▶ 25g
		mp 47-48°C	
3,5-CTF-2-CO <sub>2</sub> Et 【ISK-b-14】		Ethyl 3-chloro-5-(trifluoromethyl)picolinate	▶ 5g ▶ 25g
		Liquid	

2,5-MTF 【ISK-b-15】		2-Mercapto-5-(trifluoromethyl)pyridine mp 178-180.5°C	▶ 5g ▶ 25g
2,5-HTF 【ISK-b-16】		2-Hydroxy-5-(trifluoromethyl)pyridine mp 154-156°C	▶ 5g ▶ 25g
2,3,5-ACTF 【ISK-b-17】		2-Amino-3-chloro-5-(trifluoromethyl)pyridine mp 93-94°C	▶ 5g ▶ 25g
2,3,5-DCTF 【ISK-b-18】		2,3-Dichloro-5-(trifluoromethyl)pyridine mp 9°C	▶ 5g ▶ 25g
2,5-CTF 【ISK-b-19】		2-Chloro-5-(trifluoromethyl)pyridine mp 27-29°C	▶ 5g ▶ 25g
3-TF 【ISK-b-20】		3-(Trifluoromethyl)pyridine bp 104°C	▶ 5g ▶ 25g
2,3-HmTF 【ISK-b-21】		3-(Trifluoromethyl)pyridine-2-methanol mp 18-19.3°C	▶ 250mg ▶ 1g ▶ 5g
5-TF-2-CN 【ISK-b-22】		2-Cyano-5-(trifluoromethyl)pyridine mp 37-38°C	▶ 5g ▶ 25g
5-TF-2,3-Bis-CO2Et 【ISK-b-23】		Diethyl 5-(trifluoromethyl)pyridine-2,3-dicarboxylate Liquid	▶ 1g ▶ 5g
2,5,3-HNTF 【ISK-b-24】		2-Hydroxy-5-nitro-3-(trifluoromethyl)pyridine mp 154-156°C	▶ 250mg ※ ▶ 1g ※ ▶ 5g ※
2,5,3-MNTF 【ISK-b-25】		2-Mercapto-5-nitro-3-(trifluoromethyl)pyridine mp 112-114°C	▶ 250mg ※ ▶ 1g ※ ▶ 5g ※
2,5,3-ANTF 【ISK-b-26】		2-Amino-5-nitro-3-(trifluoromethyl)pyridine 137°C(decomposition)	▶ 250mg ※ ▶ 1g ※ ▶ 5g ※
5-TFPA 【ISK-b-27】		5-(Trifluoromethyl)pyridine picolinic acid mp 135°C	▶ 1g
2,5-MeTF 【ISK-b-28】		2-Methyl-5-(trifluoromethyl)pyridine Liquid	▶ 1g ▶ 5g
3,5-ATF 【ISK-b-29】		3-Amino-5-(trifluoromethyl)pyridine Liquid	▶ 1g ▶ 5g
5-TF-2-CO2Me 【ISK-b-30】		Methyl 5-(trifluoromethyl)picolinate mp 85-85.5°C	▶ 1g ▶ 5g














# γ-CF<sub>3</sub>ピリジン

## ピリジン環上4位（ガンマ位）にCF<sub>3</sub>基が直接結合した化合物

略称 【製品コード】	化学構造	化学名	量
		物性	
2,6,4-DCTF 【ISK-c-1】		2,6-Dichloro-4-(trifluoromethyl)pyridine	▶ 5g ▶ 25g ▶ Kg~
		Liquid	
2,4-CTF 【ISK-c-2】		2-Chloro-4-(trifluoromethyl)pyridine	▶ 5g ▶ 25g ▶ Kg~
		Liquid	
2,4-ATF 【ISK-c-3】		2-Amino-4-(trifluoromethyl)pyridine	▶ 5g
		mp 67-70°C	
4-TF 【ISK-c-4】		4-(Trifluoromethyl)pyridine	▶ 5g ▶ 25g
		Liquid	
4-TFNA 【ISK-c-5】		4-(Trifluoromethyl)nicotinic acid	▶ 5g ▶ 25g ▶ Kg~
		mp 147-149°C	
2,3,5,6,4-TCTF 【ISK-c-6】		2,3,5,6-Tetrachloro-4-(trifluoromethyl)pyridine	▶ 5g ▶ 25g
		Liquid	
4-TF-2-CO <sub>2</sub> Et 【ISK-c-7】		Ethyl 4-(trifluoromethyl)picolinate	▶ 1g ▶ 5g ▶ 25g
		Liquid	
2,6,4-ACTF 【ISK-c-8】		2-Amino-6-chloro-4-(trifluoromethyl)pyridine	▶ 1g ▶ 5g
		mp 40-43°C	
2,5,4-DCTF 【ISK-c-9】		2,5-Dichloro-4-(trifluoromethyl)pyridine	▶ 1g ▶ 5g
		Liquid	
2,6,4-DATF 【ISK-c-10】		2,6-Diamino-4-(trifluoromethyl)pyridine	▶ 1g ▶ 5g
		mp 110-112°C	
2,6,4-CHrTF 【ISK-c-11】		2-Chloro-6-hydrazino-4-(trifluoromethyl)pyridine	▶ 1g ▶ 5g
		mp 113-114°C	
2,6,4-DCTF-3-CN 【ISK-c-12】		2,6-Dichloro-3-cyano-4-(trifluoromethyl)pyridine	▶ 5g ▶ 25g
		mp 36-37°C	
2,6,4-DCTFNA 【ISK-c-13】		2,6-Dichloro-4-(trifluoromethyl)nicotinic acid	▶ 250mg ▶ 1g
		mp 121-124°C	

# Bis-CF<sub>3</sub>ピリジン

## ピリジン環上に CF<sub>3</sub> 基が 2 個結合した化合物

略称 【製品コード】	化学構造	化学名	量
		物性	
2,4,5-CBiTF 【ISK-d-2】		2-Chloro-4,5-bis(trifluoromethyl)pyridine	▶ 1g ▶ 5g
		Liquid	
2,3,6-CBiTF 【ISK-d-3】		2-Chloro-3,6-bis(trifluoromethyl)pyridine	▶ 1g ▶ 5g
		Liquid	
2,6,3,5-DCBiTF 【ISK-d-4】		2,6-Dichloro-3,5-bis(trifluoromethyl)pyridine	▶ 1g ▶ 5g
		mp 75-76°C	
3,5-BiTF 【ISK-d-5】		3,5-Bis(trifluoromethyl)pyridine	▶ 5g ▶ 25g
		mp 30°C	
2,4,6-CBiTF 【ISK-d-6】		2-Chloro-4,6-bis(trifluoromethyl)pyridine	▶ 1g ▶ 5g
		Liquid	
3,5,2,6-DCBiTF 【ISK-d-7】		3,5-Dichloro-2,6-bis(trifluoromethyl)pyridine	▶ 250mg ▶ 1g
		mp 60-61°C	
2,6-BiTF 【ISK-d-8】		2,6-Bis(trifluoromethyl)pyridine	▶ 1g ▶ 5g ▶ 25g
		mp 57-58°C	
2,4,6-ABiTF 【ISK-d-9】		2-Amino-4,6-bis(trifluoromethyl)pyridine	▶ 250mg ▶ 1g ▶ 5g
		mp 70-71°C	
2,3,5-ABiTF 【ISK-d-10】		2-Amino-3,5-bis(trifluoromethyl)pyridine	▶ 250mg ▶ 1g
		mp 80-82°C	
2,4,5-HBiTF 【ISK-d-11】		2-Hydroxy-4,5-bis(trifluoromethyl)pyridine	▶ 250mg ▶ 1g ▶ 5g
		178°C (sublimation)	
2,5-BiTF 【ISK-d-12】		2,5-Bis(trifluoromethyl)pyridine	▶ 250mg ▶ 1g
		Liquid	
2,4,6-HBiTF 【ISK-d-13】		2-Hydroxy-4,6-bis(trifluoromethyl)pyridine	▶ 250mg ▶ 1g
		mp 78°C	
4,2,6-HBiTF 【ISK-d-14】		4-Hydroxy-2,6-bis(trifluoromethyl)pyridine	▶ 250mg ▶ 1g
		178°C (sublimation)	

お客様に安心・満足していただける製品を提供できる企業を目指します  
ご注文・お問合せ・ご相談 お待ちしております

[お問合せ]

ヘルスケア事業本部 事業企画部

〒550-0002 大阪市西区江戸堀1丁目3番15号

TEL : 06-6444-5811 FAX : 06-6444-5878

E-Mail : [organic\\_med@iskweb.co.jp](mailto:organic_med@iskweb.co.jp)

(ver.22\_04)